



R 8 / R 8 SV Vaccum

Bowl 8

• Power: 2200 Watts - Three phase.

- 2 speeds: 1500/3000 rpm. Pulse funcion. Mechanical safety system and motor brake. Transparent and sealed lid.
- Delivered with:

CE

- Stainless steel bowl with handles 8 litre capacity and 2 stainless steel straight blade knife. Removable blades.
- **Dimensions** (HxLxW) : 540 x 300 x 520 mm.
- R8 SV equipped with a vacuum kit R-VAC®.



R 10 / R 10 SV Vaccum

Bowl 11.5 L

- Power: 2200 Watts Three phase.
- 2 speeds: 1500/3000 rpm.
- Pulse funcion. Mechanical safety system and motor brake. Transparent and sealed lid.
- Delivered with:
 - Stainless steel bowl with handles 11.5 litre capacity and 2 stainless steel straight blade knife. Removable blades.
- Dimensions (HxLxW): 570 x 360 x 565 mm.
- R 10 SV equipped with a vacuum kit R-VAC[®].

R 10 V.V. / R 10 V.V. SV VARIABLE SPEED AND VACCUM

- Power: 1800 Watts Single phase.
- Variable speed from 50 to 3000 rpm.
- Rmix function: reverse speed 60 to 500 rpm to mix gently the ingredients. Other characteristics same as above.

| Voltages | R 8 | R 8 SV | R 10 Line 5 | R 10 | R 10 SV | R 10 V.V. | R 10 V.V. SV |
|------------------------------|---------------------|-------------|-------------|--------|---------|-----------|--------------|
| | Ref. | Ref. | Ref. | Ref. | Ref. | Ref. | Ref. |
| 230/400V/50/3 | 21070 | 21074 | 21080 | 21055 | 21059 | E.P. | et. |
| 400V/50/3 | 21071 | | 21081 | 21056 | | 9 | O |
| 220V/60/3 | 21073 | | 21083 | 21058 | | 1. | |
| 380V/60/3 | 21069 | | 21084 | 7 | 100 | 275 | |
| 230V/50-60/1 | | | SET | ote/ | | 21060 | 21061 |
| OPTIONS | | | | R 8 | | R 10 / | R 10 V.V. |
| OI HOITS | | | | Ref. | | Ref. | |
| Serrated blade kn | ife (2 blades) | J.C. | | 27103 | | 27235 | |
| Additional straigh | nt blade knife (2 k | olades) | | 27102 | | 27234 | |
| Serrated blade, p | er unit | | | 101797 | | 119167 | , \(\) |
| Straight blade, pe | er unit | | | 101796 | E | 119166 | <i>T</i> |
| Vacuum pump | 230 | 0V/50/1 | | 69012 | 9 | 69012 | |
| 550 W - 16 m ³ /h | 220 | 0V/60/1 | | 69015 | | 69015 | |
| Vacuum adaptatio | on kit R-VAC® (wi | thout pump) | | | | 29076 | |
| | | | GET | S.O. | | 7 | |



OPTIONAL STAINLESS STEEL BOWL 3.5 LITRE CAPACITY for R 8, R 10 and R 10 V.V. models



Ref. 27108 - Stainless steel bowl 3.5 litre capacity,


stainless steel straight blade knife included

Ref. 27107 - Serrated blade assembly (2 blades)

Ref. 27106 - Additional straight blade assembly (2 blades)

Ref. 101801 - Serrated blade, per unit Ref. 101800 - Straight blade, per unit










The R-VAC® system, designed to fit the R8 and R10, allows foods to be vacuum processed in order to obtain incomparable results for all types of preparations, including fish mousses, smooth-textured stuffings, vegetables terrines, foie gras pâté and ganache.

The advantages of vacuum processing:

- Better food preservation,
- Better presentation,
- Better development of flavours and aromas,
- Better cooking.




R-MIX FUNCTION ON R 5V.V., R 6 V.V., R 10 V.V. AND R 20 V.V.



- To mix without cutting delicate products
- The R-Mix function allows to process with speed variation from 60 to 500 rpm in reverse rotation to incorporate without chopping delicate and fragile ingredients into a preparation.

Ex: mushroom into a terrine, crayfish tails in a fish mousse, raisins into brioche pastry.










Straight





Coarse serrated





Fine serrated

Range of possible tasks

| | | Maximum | Number of | Processing | | | |
|--------|--------------------|-----------|-----------|------------|------------------|-----------|--|
| Models | Coarse chopping | Emulsions | Dough | Grinding | meals | time | |
| R 20 | 6 kg | 8 kg | 6 kg | 3 kg | from 50 to 300 | SE | |
| R 23 | 10 kg | 11 kg | 7 kg | 5 kg | from 50 to 400 | | |
| R 30 | 12 kg | 14 kg | 8 kg | 6 kg | from 100 to 500 | 1 to 4 mn | |
| R 45 | 18 kg | 24 kg | 12 kg — | 9 kg | from 200 to 1000 | | |
| R 60 | 25 kg | 30 kg | 18 kg | 12 kg | from 300 to 3000 | | |



R 20

R-VAC®

Recommended for 50 to 300 meals and more From 3 to 10 kg quantities processed by operation

Motor base: 4400 W - three phase - 2 speeds 1500/3000 rpm

pulse function - Cutter: stainless steel bowl 17.5 litre capacity, 3 straight blade knife included. In option: serrated blade knife, vacuum kit R-VAC®-Dimensions: 705 x 375 x 635 mm.



R 20 V.V. / R

Recommended for 50 to 300 meals and more From 3 to 10 kg quantities processed by operation

Motor base: 4000 W - Single phase - Variable speed from 50 to 3000 rpm - R-mix function Other characteristics same as above.





Recommended for 50 to 400 meals and more From 4 to 13 kg quantities processed by operation

Motor base: 4500 W - three phase - 2 speeds: 1500/3000 rpm

IP65 control panel equipped with a digital 0-15 timer - pulse function - Cutter: tilting and removable 23 litre stainless steel bowl for easy cleaning - 3 straight blade knife included - In option: serrated blade knife, kit blixer **Dimensions**: $1250 \times 700 \times 600 \text{ mm}$



Recommended for 100 to 500 meals and more From 4 to 16 kg quantities processed by operation

Motor base: 5400 W - Cutter: stainless steel bowl 30 litre capacity.

Other characteristics same as model R 23.

Dimensions: 1250 x 720 x 600 mm.



Recommended for 200 to 1000 meals and more From 6 to 25 kg quantities processed by operation

Motor base: 10 000 W - Cutter: stainless steel bowl 45 litre capacity

Other characteristics same as model R 23.

Dimensions: 1400 x 760 x 600 mm.



Recommended for 300 to 3000 meals and more From 6 to 35 kg quantities processed by operation

Motor base: 11 000 W - Cutter: stainless steel bowl 60 litre capacity.

Other characteristics same as model R 23.

Dimensions: $1400 \times 810 \times 600$ mm.







R 20 / R 20 SV

R-VAC® B

Bowl 17.5 L

- Power: 4400 Watts Three phase.
- 2 speeds: 1500/3000 rpm.
- Pulse function. Electromechanical safety system and motor brake.
- Delivered with:
 - Stainless steel bowl 17.5 litre capacity
 - 3 stainless steel straight blade knife included
- **Dimensions** (HxLxW) : 705 x 375 x 635 mm.
- R 20 SV same characteristics but equipped with a vacuum kit R-VAC°.

R 20 V.V. / R 20 V.V. SV





- Power: 4000 Watts Single phase.
- Variable speed from 50 to 3000 rpm.
- Rmix function: reverse speed 60 to 500 rpm to mix gently the ingredients.
- R 20 V.V. SV same characteristics as above but equipped with a vacuum kit R-VAC°.

| Voltages | R 20 1 | INE 5 | R | 20 | R 20 | SV | R 20 | V.V. | R 20 V | .V. SV |
|---------------|---------------|-------|-------|----|-------|-----|-------|------|--------|--------|
| | Ref. | | Ref. | | Ref. | | Ref. | E | Ref. | • |
| 230/400V/50/3 | 21088 | | 21099 | 10 | 21104 | |). | | N. | |
| 400V/50/3 | 21089 | | 21100 | | 27 | at. | | W. | | |
| 220V/60/3 | 21091 | | 21102 | 9 | VO'0 | | | | | |
| 380V/60/3 | 21092 | | | | Mi, | | 1 | | | |
| 230V/50-60/1 | | ret. | · · | | N. | | 21105 | | 21106 | |









| OPTIONS | | R 20 / R20 V.V. SV | | |
|-------------------------------|------------------|--------------------|---|--|
| | | | | |
| | | Ref. | | |
| Serrated blade assembly | (2 blades) | 57045 | | |
| Straight blade assembly | (2 blades) | 57044 | | |
| Serrated blade assembly | (3 blades) | 57055 | 9 | |
| Additional straight blade ass | embly (3 blades) | 57054 | | |
| Serrated blade | | 119167 | | |
| Straight blade | GE. | 119166 | | |
| Vacuum pump | 230V/50/1 | 69012 | | |
| 550 W - 16 m³/h | 220V/60/1 | 69015 | | |
| Vacuum adaptation kit R | R-VAC® | 29076 | | |
| NOO! | | | | |







R 23

Bowl 23 L

- Power: 4500 Watts Three phase.
- 2 speeds : 1500/3000 rpm.
- Stainless steel machine.
- IP65 control panel equipped with a digital 0-15 mn timer.
- Magnetic safety system and motor brake.
- Transparent polycarbonate lid.
- Delivered with:
 - Stainless steel tilting and removable 23 litre bowl.
 - 3 stainless steel straight blade knife included. Removable blades.
 - Lid wiper.
- Dimensions (HxLxW): 1250 x 700 x 600 mm.
- In option:
 - Blixer kit including : Scraper for both bowl and lid
 - 2 Stainless steel serrated blade knife.

R 30

Bowl 28 L

- Power: 5400 Watts Three phase.
- 2 speeds: 1500/3000 rpm.
- Stainless steel machine.
- IP65 control panel equipped with a digital 0-15 mn timer.
- Magnetic safety system and motor brake.
- Transparent polycarbonate lid.
- Delivered with :
 - Stainless steel tilting and removable 28 litre bowl.
 - 3 stainless steel straight blade knife included. Removable blades.
 - Lid wiper.
- Dimensions (HxLxW): 1250 x 720 x 600 mm.
- In option:
 - Blixer kit including : Scraper for both bowl and lid
 - 2 Stainless steel serrated blade knife.

| Voltages | R 23 | R 30 | Option : Blixer kit | Ref. |
|-----------|-------|-------|---------------------------------|--------|
| | Ref. | Ref. | Blixer 23 Kit | 57058 |
| 400V/50/3 | 51033 | 52066 | Additionnal fine | 118292 |
| 230V/50/3 | 51039 | 52069 | serrated blade | 110272 |
| 220V/60/3 | 51034 | 52067 | Blixer 30 kit | 57059 |
| 380V/60/3 | 51038 | 52068 | Additionnal fine serrated blade | 118241 |









| OPTIONS | R 23 | | R 30 | |
|---|--------|---|--------|--|
| | Ref. | | Ref. | |
| Serrated blade assembly (3 blades) | 57070 | | 57075 | |
| Fine serrated blade assembly (3 blades) | 57072 | | 57077 | |
| Additional straight blade assembly (3 blades) | 57069 | | 57074 | |
| Serrated blade | 118294 | | 118286 | |
| Fine serrated blade | 118292 | | 118241 | |
| Straight blade | 118217 | | 117950 | |
| 3 retractable wheels | 57062 | 7 | 57062 | |

VACUUM MODELS AVAILABLE ON REQUEST







R 45

Bowl 45 L

- Power: 10000 Watts Three phase.
- 2 speeds : 1500/3000 rpm.
- Stainless steel machine.
- IP65 control panel equipped with a digital 0-15 mn timer.
- Magnetic safety system and motor brake.
- Transparent polycarbonate lid.
- Delivered with :
 - Stainless steel tilting and removable 45 litre bowl.
 - 3 stainless steel straight blade knife included. Removable blades.
 - Lid wiper.
- Dimensions (HxLxW): 1400 x 760 x 600 mm.
- In option :

Blixer kit including:

- Scrapper for both bowl and lid
- 2 Stainless steel serrated blade knife.

R 60

- Power: 11000 Watts Three phase.
- 2 speeds : 1500/3000 rpm.
- Stainless steel machine.
- IP65 control panel equipped with a digital 0-15 mn timer.
- Magnetic safety system and motor brake.
- Transparent polycarbonate lid.
- Delivered with:
 - Stainless steel tilting and removable 60 litre bowl.
 - 3 stainless steel straight blade knife included. Removable blades.
 - Lid wiper.
- Dimensions (HxLxW): 1400 x 810 x 600 mm.
- In option:

Blixer kit including:

- Scrapper for both bowl and lid
- 2 Stainless steel serrated blade knife.

| Voltages | R 45 | R 60 | Option : Blixer Kit | Ref. |
|-----------|-------|-------|---------------------------------|--------|
| | Ref. | Ref. | Blixer 45 Kit | 57060 |
| 400V/50/3 | 53037 | 54166 | Additionnal fine | 118243 |
| 230V/50/3 | 53069 | 54169 | serrated blade | 110243 |
| 220V/60/3 | 53067 | 54167 | Blixer 60 kit | 57061 |
| 380V/60/3 | 53068 | 54168 | Additionnal fine serrated blade | 118245 |









| OPTIONS | R 45 | | R 60 | |
|--|--------|------|--------|--|
| N. MOTO | Ref. | 1 | Ref. | |
| Serrated blade knife (3 blades) | 57082 | | 57092 | |
| Fine serrated blade knife (3 blades) | 57084 | | 57095 | |
| Additional straight blade knife (3 blades) | 57081 | | 57091 | |
| Serrated blade | 118287 | | 118290 | |
| Fine serrated blade | 118243 | -0'C | 118245 | |
| Straight blade | 117952 | , , | 117954 | |
| 3 retractable wheels | 57062 | | 57062 | |

VACUUM MODELS AVAILABLE ON REQUEST

THE PRODUCT PLUS

Lid wiper

To wipe the inside of the lid, ensuring perfect visibility during processing.

• New patented blade profile for an optimum cutting quality.

Lid:

- Transparent lid for perfect control of the process.
- Ergonomic locking device of the lid bowl.
- Lid and seal designed to be removed simply and quickly for perfect cleaning.



• Ergonomic lever enabling the user to tilt the bowl at various angles.

Control panel:

- Build in stainless-steel control buttons.
- 0-15 minute timer.
- · Pulse control for greater cutting precision.

Frame

- 100% stainless-steel
- Perfect stability on the floor,
- Compact,
- Easy cleaning.

Vacuum models available

- Tilting and removable bowl, a Robot-Coupe exclusivity.
- Capacity: 23, 28, 45 or 60 litre according the model.

Wheels (optional)

• 3 retractable wheels making it easier to move the appliance in order to clean the surface underneath.



Since 1991, Robot-Coupe has always been improving the Blixers® concept in close partnership with healthcare and catering specialists, in order to process food for people who have problems to chew and swallow. With a Blixer®, preparing healthy, well-balanced and tasty food is simplicity itself, due to its ability to blend raw ingredients.

Robot-Coupe Blixers® allow you to make any starter, main dish or dessert you choose!

For all your spices








as well as


Starter

Celeriac and red cubbage purred food



Main Dish

Blanquette pureed food



Dessert

Lemon tart pureed food



Processing capacities

| Models | Bowl capacity (litre) | Processing quantities (kg) | Number of blended meals | |
|---------------|--------------------------|----------------------------|-------------------------|--|
| Blixer 2 | 2.9 | 0.2 to 1.5 | 1 to 15 | |
| Blixer 3 | 3.5 | 0.3 to 2 | 10 to 30 | |
| Blixer 4 | 4.5 | 0.3 to 2.5 | 10 to 50 | |
| Blixer 4 V.V. | 4.5 | 0.3 10 2.3 | 10 10 30 | |
| Blixer 5 Plus | 5.5 | 0.4 to 3.5 | 20 to 80 | |
| Blixer 5 V.V. | SE A | 0.4 10 3.3 | 20 10 00 | |
| Blixer 6 V.V. | 6.5 | 0.5 to 4.5 | 20 to 100 | |

Blixer 2 **NEW** Bowl 2.9 L

From 0.2 to 1.5 kg quantities processed by operation. for portion

Special

robot @ coupe°

Motor base: 700 W - Single phase - 1 speed: 3000 rpm - Blixer: stainless steel bowl 2,9 litre capacity maximum liquid capacity of 1 litre - delivered with a fine serrated blade knife - Dimensions: 420 x 210 x 330 mm.



Bowl 3.7 L

From 0.3 to 2 kg quantities processed by operation.

Motor base: 750 W - Single phase - 1 speed: 3000 rpm - Blixer: stainless steel bowl 3.7 litre capacity maximum liquid capacity of 2 litre - delivered with a fine serrated blade knife - Dimensions: 420 x 210 x 330 mm.



Blixer 4

Bowl 4.5 L From 0.3 to 2.5 kg quantities processed by operation.

Motor base: 1000 W - three phase - 2 speeds: 1500/3000 rpm - Blixer: stainless steel 4.5 litre capacity bowl with handle - Maximum liquid capacity of 2.5 litre - Metal motor base - delivered with a fine serrated blade knife Dimensions: $460 \times 226 \times 304$ mm.



Blixer 4

Bowl 4.5 L From 0.3 to 2.5 kg quantities processed by operation.

Motor base: 1100 W - Single phase 230 V - Variable speed from 300 to 3000 rpm.

Other characteristics same as above.

Dimensions: $480 \times 226 \times 304$ mm.



Blixer 5 Plus

Bowl 5.5 L From 0.4 to 3.5 kg quantities processed by operation.

Motor base: 1300 W - three phase - Metal motor base - 2 speeds: 1500/3000 rpm

delivered with 1 fine serrated blade knife - Blixer : stainless steel bowl 5.5 litre capacity - maximum liquid capacity **Dimensions**: $500 \times 270 \times 340$ mm.

of 3.5 litre.



Blixer 5

From 0.4 to 3.5 kg quantities processed by operation.

Motor base: 1400 W - Single phase 230 V - Variable speed from 300 to 3000 rpm. Other characteristics same as above.



Blixer 6

Bowl 7 L

From 0.5 to 4.5 kg quantities processed by operation.

Motor base: 1300 W - Single phase 230 V - Metal motor base - 2 speeds: 1500/3000 rpm.

Blixer: stainless steel bowl 7 litre capacity: maximum liquid capacity of 4.5 litre - delivered with 1 fine

Dimensions: $535 \times 270 \times 370$ mm. serrated blade knife.



Blixer 6

From 0.5 to 4.5 kg quantities processed by operation.

Motor base: 1500 W - three phase 400 V - Variable speed from 300 to 3000 rpm. Other characteristics same as above.



16-03-2009





EFFICIENT

2.9-litre stainless-steel bowl with a user friendly handle.

HANDY

Polycarbonate lid equipped with a watertight seal.

STURDY

Heavy duty industrial motor for longer lifespan.

HYGIENE

All parts that are in food contact are easily removed for cleaning.

SMALL PORTION CONTROL

Equipped with a specific blade to process batches from 100 gr to 1.5 kg.

The essential tool for the trendy cuisine in gourmet bistros, top level restaurants, caterers and banquets. >>













Mise en bouche, Cromesquis, Houmous, Tarama, Pesto, Anchoyade, Emulsions, Zakouskis, Siphons

BLIXER®: BLENDER-MIXERS



16-03-2009





Blixer 2

Bowl 2.9 L

- Power: 700 Watts Single phase.
- 1 speed 3000 rpm.
- Stainless steel motor shaft. Pulse function.
- Induction motor. Magnetic safety system and motor brake.
- Delivered with:
 - Stainless steel 2.9 litre capacity bowl with handle.
 - Sealed lid equipped with a bowl and lid scraper.
- Dimensions (HxLxW): 420 x 210 x 330 mm.



Blixer 3



- Power: 750 Watts Single phase. 1 speed 3000 rpm.
- Stainless steel motor shaft. Pulse function.
- Induction motor. Magnetic safety system and motor brake.
- Delivered with:
 - Stainless steel 3.7 litre capacity bowl with handle.
 - High liquid capacity bowl.
 - Fine serrated blade knife.
 - Sealed lid equipped with a bowl and lid scraper.
- Dimensions (HxLxW): 420 x 210 x 330 mm.



Blixer 4-3000 Single phase



- Power: 900 Watts Single phase. 1 speed: 3000 rpm.
- Stainless steel motor shaft. Pulse function.
- Induction motor. Magnetic safety system and motor brake.
- Metal motor support.
- Delivered with:
 - Stainless steel 4.5 litre capacity bowl with handle.
 - High liquid capacity bowl.
 - Fine serrated blade knife.
 - Sealed lid equipped with a bowl and lid scraper.
- Dimensions (HxLxW): 460 x 226 x 304 mm.


Blixer 4 Three phase

• Power: 1000 Watts - Three phase. • 2 speeds: 1500/3000 rpm. Other characteristics same as above.

Blixer 4 V.V. VARIABLE SPEED

- Power: 1100 Watts Single phase. Variable speed from 300 to 3000 rpm.
- Dimensions (HxLxW): 480 x 226 x 304 mm.

Other characteristics same as above.



| Voltages | Blixer 2 | Blixer 3 | Blixer 4 | Blixer 4 V.V. |
|-------------------|----------|----------|----------|---------------|
| | Ref. | Ref. | Ref. | Ref. |
| 400V/50/3 | | 10 | 33215 | V4. |
| 220V/60/3 | TER | et· | 33216 | |
| 380V/60/3 | 9 | | 33217 | |
| 220V/50/3 | <u> </u> | W, | 33218 | |
| 230V/50/1 | 33228 | 33197 | 33208 | |
| 230V/50/1 UK plug | 33232 | 33198 | 33209 | |
| 120V/60/1 | 33234 | 33202 | 33210 | |
| 220V/60/1 | 33233 | 33201 | 33211 | _eti |
| 230V/50-60/1 | | 6 | | 33220 |

| OPTIONS | Blixer 2 | Blixer 3 | Blixer 4 | |
|--------------------------------------|----------|----------|----------|--|
| SE' | Ref. | Ref. | Ref. | |
| Serrated blade knife | 27371 | 27348 | 27349 | |
| Additional fine serrated blade knife | 27370 | 27347 | 27350 | |

NB: dimensions (HxLxW)

16-03-2009





Blixer 5 Plus Three phase

Bowl 5.5 L

- Power: 1300 Watts Three phase.
 2 speeds: 1500/3000 rpm.
- Induction motor. Magnetic safety system and motor brake.
- Metal motor base.
- Stainless steel motor shaft. Pulse function.
- Delivered with:
 - Stainless steel 5.5 litre capacity bowl with handle.
- High liquid capacity bowl.Fine serrated blade knife.
- Sealed lid equipped with bowl and lid scraper.
 Dimensions (HxLxW): 500 x 270 x 340 mm.

Blixer 5 Plus Single phase

Bowl 5.5 L

- Power: 1300 Watts Single phase.
- 1 speed: 3000 rpm without pulse function.

Other characteristics same as above.

Blixer 5 V.V. VARIABLE SPEED

- Power: 1400 Watts Single phase.
- Variable speed from 300 to 3000 rpm.

Other characteristics same as above.



Blixer 6

Bowl 7

- Power: 1300 Watts Single phase. 2 speeds: 1500/3000 rpm
- Metal motor base.
- Stainless steel motor shaft. Pulse function.
- Induction motor. Magnetic safety system and motor brake.
- Delivered with :
- Stainless steel 7 litre capacity bowl with handle.
- High liquid capacity bowl.
- Fine serrated blade knife.
- Sealed lid equipped with bowl and lid scraper.
- Dimensions (HxLxW) : 535 x 270 x 370 mm.

Blixer 6 V.V. VARIABLE SPEED

- Power: 1500 Watts Single phase.
- Variable speed from 300 to 3000 rpm.

Other characteristics same as above.



| 1/0 | Voltages | Blixer | 5 Plus | Blixer 5 V.V. | Blixer 6. | Blixer 6 V.V. |
|-----|--------------|--------|--------|---------------|-----------|---------------|
| | | Ref. | | Ref. | Ref. | Ref. |
| 2 | 30-400V/50/3 | 33166 | | | 33226 | |
| m | 400V/50/3 | 33164 | | | 33227 | at. |
| | 220V/60/3 | | | | 9 | 70 P |
| | 380V/60/3 | 33163 | CE | | W.K. | |
| | 230V/50/1 | 33160 | 7. | et. X | m | |
| | 220V/60/1 | 33161 | | | | |
| 1 | 230V/50-60/1 | | Mi. | 33171 | | 33155 |



| OPTIONS | Blixer 5 Plus / 5 V.V. | Blixer 6 / Blixer 6 V.V. |
|--------------------------------------|------------------------|--------------------------|
| | Ref. | Ref. |
| Serrated blade knife | 27180 | |
| Additional fine serrated blade knife | 27155 | 27169 |
| Additional upper fine serrated blade | 32 | 117193 |
| Additional lower fine serrated blade | | 117194 |

obot a coupe

MP 450 Ultra

NEW

STAINLESS STEEL

MP Ultra

POWER

More powerful motor: + 20% for even more efficient machine.

DURABILITY

Sturdy construction thanks to its stainless steel motor base.

PERFORMANCE

Increased performance for optimized mixing time.

HYGIENE

Removable stainlesss steel knife and bell for easy cleaning and maintenance.

ERGONOMIC

Ergonomic handle for a better grip of the machine.

COMFORT

4 pan supports available reducing user fatigue.

STAINLESS -STEEL

STAINLESS

STAINLESS STEEL



3 adjustable stainless steel pan supports



Stainless steel universal pan support


^{*} Patented system available on the following models: MP 350 Ultra, MP 450 Ultra, MP 550 Ultra, MP 600 Ultra, MP 350 V.V. Ultra, MP 450 V.V. Ultra, MP 350 Combi Ultra and MP 450 Combi Ultra.

LARGE






l: Maximum capacity in litre



COMBI



50 / 50 / 50 / 50





Within the HACCP procedure, we advise users to stock the bell and the knife in cold room after clea-

USER COMFORT

Pan supports easy to use for easy process

3 stainless steel adjustable pan supports

50 ℓ →

• Diameter of the pan: 330 mm to 650 mm

• Diameter of the pan: 500 mm to 1000 mm

• Diameter of the pan: 850 mm to 1300 mm

1 stainless steel universal pan support

to fix on the edge of the pan





MINI RANGE

















Mini MP 160 V.V., Mini MP 190 V.V., Mini MP 240 V.V. Mini size, Maxi Performance. Ideal for "sauces and small quantities"



Handle designed for easy grip and effortless use.



Variable speed button for easier use and speed control

to increase your

appliance's

lifespan.





Blades and tube can all be taken apart for cleaning, to ensure perfect hygiene.



Mini MP 160 V.V.



Mini MP 240 V.V. to lighten fresh or warm sauces and give them a mouss consistency.





Blade designed for an optimum mixing quality



ALL STAINLESS

STEEL BELL



Mini MP 160 V.V. VARIABLE SPEED

REGULATION SYSTEM



- Power: 220 Watts.- Single phase
- Ideal for small quantities
- Variable speed from 2000 to 12500 rpm.
- Stainless steel knife, bell disc and tube.
- Removable knife and emulsifying disc, a Robot-Coupe exclusive patented
- Foot equipped with a 3 level watertightness system.
- Delivered with: 1 stainless steel wall support.
- Tube length: 160 mm Total length: 455 mm Ø 78 mm.



Ref. 34691 - Mini MP 160 V.V. 240V/50/1 UK plug

Ref. 34695 - Mini MP 160 V.V. 120V/60/1 Ref. 34694 - Mini MP 160 V.V. 220V/60/1

Mini MP 190 V.V. VARIABLE SPEED

SPEED SELF **REGULATION SYSTEM**



- Power: 250 Watts.
- Stainless steel knife, bell disc and tube.
- Removable knife and emulsifying disc, a Robot-Coupe exclusive patented
- Tube length: 190 mm Total length: 485 mm Ø 78 mm. Other characteristics same as above.

Ref. 34700 - Mini MP 190 V.V. 230V/50/1

Ref. 34701 - Mini MP 190 V.V. 240V/50/1 UK plug

Ref. 34705 - Mini MP 190 V.V. 120V/60/1 Ref. 34704 - Mini MP 190 V.V. 220V/60/1 Ref. 27333 - Whisk attachment for Mini MP

Mini MP 240 V.V. VARIABLE SPEED

SPEED SELF REGULATION SYSTEM



- Power: 270 Watts.- Single phase
- Tube length: 240 mm Total length: 535 mm Ø 78 mm.

Other characteristics same as above.

Ref. 34710 - Mini MP 240 V.V. 230V/50/1

Ref. 34711 - Mini MP 240 V.V. 240V/50/1 UK plug

Ref. 34715 - Mini MP 240 V.V. 120V/60/1 Ref. 34714 - Mini MP 240 V.V. 220V/60/1 Ref. 27333 - Whisk attachment for Mini MP

Mini MP 190 Combi



See page 57

Mini MP 240 Combi



See page 57





COMPACT RANGE CMP

CE




















BELL AND KNIFE DISMANTLING



Robot-Coupe power mixers are the only one to be equipped with removable knife and bell. This exclusive patented system guarantees a perfect cleaning.





VARIABLE SPEED MIXERS • COMPACT RANGE -

ALL STAINLESS STEEL BELL

These models can not be equipped with a whisk.

Whisk function

CMP 250 V.V.* VARIABLE SPEED

SPEED SELF REGULATION SYSTEM

- Power: 270 Watts. Single phase.
- Variable speed from 2300 to 9600 rpm.
- Speed self regulation system.
- Stainless steel knife, bell and tube.
- Removable foot and knife, a Robot-Coupe exclusive patented system.
- Delivered with: 1 stainless steel wall support.
- Tube length: 250 mm Total length: 650 mm Ø 94 mm.

CMP 300 V.V.* VARIABLE SPEED

SPEED SELF REGULATION SYSTEM

- Power: 300 Watts.
- Stainless steel knife, bell and tube.
- Tube length : 300 mm Total length : 660 mm Ø 94 mm.

Other characteristics same as above.

CMP 350 V.V.* VARIABLE SPEED



- Power: 350 Watts.
- Stainless steel knife, bell and tube.
- Tube length: 350 mm Total length: 700 mm Ø 94 mm.

Other characteristics same as above.

CMP 400 V.V.* VARIABLE SPEED

SPEED SELF **REGULATION SYSTEM**

- Power: 380 Watts.
- Stainless steel knife, bell and tube.
- Tube length: 400 mm Total length: 750 mm Ø 94 mm.

Other characteristics same as above.

| | Voltages | CMP 250 V.V. | CMP 300 V.V. | CMP 350 V.V. | CMP 400 V.V. |
|---|-------------------|--------------|--------------|--------------|--------------|
| Ň | | Ref. | Ref. | Ref. | Ref. |
| | 230V/50/1 | 34240 | 34230 | 34250 | 34260 |
| | 230V/50/1 UK plug | 34241 | 34231 | 34251 | 7. |
| | 120V/60/1 | 34245 | 34235 | 34255 | 0,00 |
| | 220V/60/1 | 34244 | 34234 | 34254 | |

CMP 250 Combi

See page 57

CMP 300 Combi

See page 57



• LARGE RANGE- MIXERS



MP 350 Ultra



- Power: 440 Watts. Single phase.
- 1 speed 9500 rpm.
- Stainless steel knife, bell and tube.
- Removable foot and knife, a Robot-Coupe exclusive patented system.
- Foot equipped with a 3 level watertightness system.
- Delivered with: 1 stainless steel wall support.
- Tube length: 350 mm Total length: 740 mm Ø 125 mm.
- Stainless steel motor base.

MP 350 V.V. Ultra VARIABLE SPEED





- Power: 440 Watts. Single phase.
- Variable speed from 1500 to 9000 rpm.
- Speed self regulation system.

Other characteristics same as above.

MP 450 Ultra



- Power: 500 Watts.
- Stainless steel knife, bell and tube.
- Tube length: 450 mm Total length: 840 mm Ø 125 mm.
- Stainless steel motor base.

Other characteristics same as above.

MP 450 V.V. Ultra VARIABLE SPEED





- Power: 500 Watts.
- Variable speed from 1500 to 9000 rpm.
- Speed self regulation system.

Other characteristics same as above.

Whisk function



MP 350 Combi Ultra

See page 58

MP 450 Combi Ultra

See page 58

| Voltages | MP 350 Ultra | MP 350 V.V. Ultra | MP 450 Ultra | MP 450 V.V. Ultra |
|-------------------|--------------|-------------------|--------------|-------------------|
| 37, | Ref. | Ref. | Ref. | Ref. |
| 230V/50/1 | 34600 | 34640 | 34610 | 34650 |
| 230V/50/1 UK plug | 34601 | 34641 | 34611 | 34651 |
| 120V/60/1 | 34605 | 34645 | 34615 | 34655 |
| 220V/60/1 | 34604 | 34644 | 34614 | 34654 |



• LARGE RANGE- MIXERS



MP 550 Ultra



- **Power**: 750 Watts.
- Stainless steel knife, bell and tube.
- Removable foot and knife, a Robot-Coupe exclusive patented system.
- Foot equipped with a 3 level watertightness system.
- Delivered with: 1 stainless steel wall support.
- 1 speed 9000 rpm.
- It is recommended to use the MP 550 with a pan support.
- Tube length: 550 mm Total length: 940 mm Ø 125 mm.
- Stainless steel motor base.

MP 600 Ultra



- Power: 850 Watts. Single phase.
- 1 speed 9500 rpm.
- Stainless steel knife, bell and tube.
- It is recommended to use the MP 600 with a pan support.
- Tube length: 600 mm Total length: 980 mm Ø 125 mm.
- Stainless steel motor base.

Other characteristics same as above.

MP 800 Turbo





- Power: 1000 Watts. Single phase.
- 1 speed 9500 rpm.
- Stainless steel knife, bell and tube.
- Tube length: 740 mm Total length: 1130 mm Ø 125 mm.
- Stainless steel motor housing.
- EBS new technology: Electronic booster system, which improves motor performance
- Double ergonomic handle for a better user comfort during processing. Other characteristics same as above.



3 adjustable pan supports

O

Ref. 27363 - for pan from 330 to 650 mm diameter

Ref. 27364 - for pan from 500 to 1000 mm diameter

Ref. 27365 - for pan from 850 to 1300 mm diameter

Universal pan support

2

Ref. 27354 - for any pans diameter

| Voltages | MP 550 Ultra | MP 600 Ultra | MP 800 Turbo |
|-------------------|--------------|--------------|--------------|
| | Ref. | Ref. | Ref. |
| 230V/50/1 | 34620 | 34630 | 34490 |
| 230V/50/1 UK plug | 34621 | 34631 | 34491 |
| 120V/60/1 | 34625 | 34635 | 34495 |
| 220V/60/1 | 34624 | 34634 | 34494 |

WHISKS USED WITH THE COMBI RANGE

(6

The Robot-Coupe whisk available on Mini MP Combi, CMP Combi, MP Combi Ultra, and MP FW will allow you to...

any salad dressing, mayonnaise



mix pancake dough, tomato pulp, seasoning...




semolina, rice, wheat, quinoa...



egg whites, chocolate mousse, whipped cream...



MIX/KNEAD mashed potatoes, doughnuts dough for fried preparation...









COMBI MIXER/WHISK



Mini MP 190 Combi

NEW

• Power: 220 Watts. Single phase.

• Variable speed: from 2 000 à 12 500 rpm in mixer function. from 350 à 1 560 rpm in whisk function.

Speed self regulation system.

Total length with tube: 485 mm - with whisk: 550 mm, Ø 78 mm.

• Stainless steel removable knife, bell, tube and whisk (185 mm).

Whisk gear box with heavy duty metal parts.

Ref. 34720 - Mini MP 190 Combi 230V/50/1

Ref. **34721** - **Mini MP 190 Combi** 230V/50/1 UK plug Ref. **34724** - **Mini MP 190 Combi** 220V/60/1

Ref. 34725 - Mini MP 190 Combi 120V/60/1

Mini MP 240 Combi



• Power: 250 Watts.

Total length with tube: 535 mm - with whisk: 550 mm, Ø 78 mm. Other characteristics same as above.

Ref. 34730 - Mini MP 240 Combi 230V/50/1

Ref. 34731 - Mini MP 240 Combi 230V/50/1 UK plug

Ref. 34734 - Mini MP 240 Combi 220V/60/1

Ref. 34735 - Mini MP 240 Combi 120V/60/1

COMBI MIXER/WHISK



CMP 250 Combi

REGULATION SYSTEM

• Power: 270 Watts. Single phase.

• Variable speed: from 2300 to 9600 rpm in mixer function. from 500 to 1800 rpm in whisk function.

Speed self regulation system.

 Stainless steel removable knife, bell, whisk and tube. Gear box with heavy duty metal parts.

 Tube length: 250 mm - Whisk length: 220 mm Total length with tube: 640 mm - with whisk: 610 mm - Ø 125 mm.

CMP 300 Combi

SPEED SELF **REGULATION SYSTEM**

Power: 300 Watts.

Tube length: 300 mm - Whisk length: 220 mm Total length with tube: 700 mm - with whisk: 610 mm - Ø 125 mm. Other characteristics same as above.

| | | | N. | |
|---|-----------|------|---------------|----------------|
| Voltages | CMP 250 C | ombi | CMP 300 Combi | |
| Voltages | Ref. | | Ref. | |
| 230V/50/1 | 34300 | | 34310 | |
| 230V/50/1 UK plug | 34301 | | 34311 | |
| 120V/60/1 | 34305 | | <u>34315</u> | |
| 220V/60/1 | 34304 | | 34314 | |
| OPTIONS | Ref. | PA | Ref. | |
| Motor base : 230V/50/1 | 29819 | | 29820 | |
| 120V/60/1 | 29841 | | 29842 | \overline{A} |
| 220V/60/1 | 29833 | N | 29834 | |
| Mixer attachment (tube + foot) | 27249 | 7 | 27250 | |
| Whisk attachment equipped with heavy duty metal parts | 27248 | | 27248 | |



• LARGE RANGE- VARIABLE SPEED MIXERS



MP 350 Combi Ultra

SPEED SELF REGULATION SYSTEM

• Power: 440 Watts. Single phase.

• Variable speed: from 1500 to 9000 rpm in mixer function. from 250 to 1500 rpm in whisk function.

Speed self regulation system.

Stainless steel removable knife, bell, whisk and tube.

Foot equipped with a 3 level watertightness system.

 Metal gearbox even more resistant when processing pan cakes or fresh smashed potatoes.

• Delivered with: 1 stainless steel wall support.

Tube length: 350 mm - Whisk length: 280 mm
 Total length with tube: 790 mm - with whisk: 805 mm - Ø 125 mm.

Stainless steel motor base.

MP 450 Combi Ultra

SPEED SELF REGULATION SYSTEM

• Power: 500 Watts.

Stainless steel removable knife, bell, whisk and tube

Tube length: 450 mm - Whisk length: 280 mm
 Total length with tube: 890 mm - with whisk: 840 mm - Ø 125 mm.
 Other characteristics same as above.

• LARGE RANGE - WHISK



MP 450 FW Ultra

SPEED SELF REGULATION SYSTEM

• Power: 500 Watts - Single phase.

• Variable speed from 250 to 1500 rpm.

Speed self regulation system.

Removable whisk.

 Metal gearbox even more resistant when processing pancakes or fresh smashed potatoes.

• Delivered with: 1 stainless steel wall support.

Whisk length: 280 mm - Total length: 800 mm - Ø 125 mm.

Stainless steel motor base.



3 adjustable pan supports

0

Ref. 27363 - for pan from 330 to 650 mm diameter

Ref. 27364 - for pan from 500 to 1000 mm diameter

Ref. 27365 - for pan from 850 to 1300 mm diameter

Universal pan support

2

Ref. 27354 - for any pans diameter

| Voltages | MP 450 FW Ultra | MP 350 Combi Ultra | MP 450 Combi Ultra |
|-------------------|-----------------|--------------------|--------------------|
| | Ref. | Ref. | Ref. |
| 230V/50/1 | 34680 | 34660 | 34670 |
| 230V/50/1 UK plug | 34681 | 34661 | 34671 |
| 120V/60/1 | 34685 | 34665 | 34675 |
| 220V/60/1 | 34684 | 34664 | 34674 |

| OPTIONS | MP 350 Combi Ultra | MP 450 Combi Ultra | |
|---|--------------------|--------------------|--|
| Motor base : 230V/50/1 | Ref. 39418 | Ref. 39410 | |
| 120V/60/1 | 39418 | 39415 | |
| 220V/60/1 | 39421 | 39414 | |
| Mixer attachment (tube + foot) | 39354 | 39355 | |
| Whisk attachment equipped with heavy duty metal parts | 27210 | 27210 | |
| Mixing Attachment 3 | 27355 | 27355 | |

(6)

MIXING TOOL ATTACHMENT

Ergonomic handle

Rubber protection

- Gearbox with all-metal gears and flange for increased wear resistance.
- Variable speed from 150 to 510 rpm
- Total length of the too : 690 mm
- In option, on MP 350 Combi Ultra, MP 450 Combi Ultra and MP 450 FW Ultra models.




- Potato flakes
- Dry soups
- Dehydrated base for sauce
- Spices + sauces
- Dehydrated mixes for pastry

Ø 175 mm









Metal Gear Box

- Gears contained within 2 separate metal casings 1 which make the gearbox resistant to support heavy strenghts.
- Fast coupling 2 of the whisks on the gear box and the gear box on the motor base for easy assembling and dismantling.
- Overmoulded whisks (3) to ensure a perfect hygiene (machine design without any hidden corner).





C 40 PressCoulis AUTOMATIC CHINOIS

NEW

Power: 500 Watts.

(6)

• Voltage: single phase 230 V.

• **Speed**: 1500 rpm.

Metal motor base.

Removable lid and bowl.

 Delivered with: Citrus-press accessory, PressCoulis and juice extractor. Cleaning brush.

• Dimensions (HxWxD) : 502 x 237 x 223mm.

Réf. 55023 - PressCoulis C 40 230V/50/1

C40 PressCoulis from Robot Coupe - 3 machines in 1

The C40 PressCoulis can extract all the goodness from fruits and vegetables thanks to its 3 functions...

...Citrus press



For citrus fruit: oranges, lemons, grapefruit...

Seedless and pulp-free citrus juice

...Juice extractor



For hard fruit and vegetables: apples, carrots, raw beetroot...

Clear, pulp-free juice

...Automatic chinois



For soft fruit and vegetables: raspberries, blackcurrants, tomatoes

Thick, seedless and pulpfree coulis and juice





C 80

- Power: 650 Watts Single phase.
- **Speed** 1500 rpm.
- Table top model. Stainless steel sieve. Continuous feeding of the machine.
 Automatic ejection of waste.
- Delivered with:
 - Perforated basket Ø 1 mm.
- **Dimensions** (HxLxW) : 540 x 610 x 360 mm.



C 120

- Power: 900 Watts Three phase.
- Dimensions (HxLxW): 860 x 1030 x 400 mm.
- Floor model delivered with stainless steel feet.

Other characteristics same as above.

C 200 SPECIAL INDUSTRY

- Power: 1800 Watts Three phase.
- Delivered with:
- Perforated basket Ø 1 mm and Ø 3 mm.
- Dimensions (HxLxW): 860 x 1030 x 400 mm.

Other characteristics same as above.

C 200 V.V. VARIABLE SPEED

- Power: 1800 Watts Single phase.
- Available with a speed variation from 100 to 1800 rpm.

Other characteristics same as above.



| Voltages | C 80 | C 120 | C 200 | C 200 V.V. |
|---------------|-------|-------|-------|------------|
| | Ref. | Ref. | Ref. | Ref. |
| 230-400V/50/3 | | 55000 | 55006 | |
| 220V/60/3 | | 55009 | 55007 | |
| 230V/50/1 | 55012 | 55011 | | |
| 115V/60/1 | 55014 | 55022 | | |
| 220V/60/1 | 55017 | | | J.C. |
| 230V/50-60/1 | | | | 55018 |



| OPTIONS | C 80 | C 120/C 200 |
|---------------------------------------|--------|-------------|
| | Ref. | Ref. |
| Perforated basket Ø 0,5 mm | 57009 | 57211 |
| Perforated basket Ø 1,5 mm | | 57042 |
| Perforated basket Ø 2 mm | | 57019 |
| Perforated basket Ø 3 mm | 57008 | 57156 |
| Perforated basket Ø 5 mm (on request) | 57023 | 57020 |
| Additional perforated basket Ø 1 mm | 57007 | 57145 |
| Additional rubber scraper (per unit) | 100338 | 100702 |





TP180 Bread Slicer


- Power: 350 Watts. Single phase.
- Stainless steel construction. Induction motor
- Adjustable tray that allows cutting from 8 to 80 mm slices.
- Stainless steel blade very easily removable for cleaning.
- Infrared security system, Robot-Coupe patented.
- Output: 180 to 360 slices per minute.
- In option: Stainless steel movable stand.
- Dimensions (HxLxW): 920 x 335 x 385 mm.

Ref. **23001** - **TP 180** 230V/50/1 Ref. **23002** - **TP 180** 220V/60/1

Ref. 27187 - Stainless steel movable stand



THE PRODUCT'S PLUS



SELECTION GUIDE PER PRODUCTS FAMILY

16-03-2009



YOU REQUIRE A FOOD PROCESSOR















How many covers do you serve per day ?

>>>>>>













Do you require dicing or French fries?


>>>>>>>

| CER | T.E. | | V. | | | |
|-----|------|----|----|-----|-----|-----|
| No | No | No | No | Yes | Yes | Yes |
| 1 | 7 | | | | SER | OVE |



Do you require stainless steel bowl ?

| | | SE | , v | ;© [™] | | |
|-----|------|-----|-----|-----------------|-----|-----|
| No | No | Yes | Yes | Yes | Yes | Yes |
| GER | xet. | | n | | | |















R 201

R 301 R

R 301 Ultra

R 401

R 402 R 402 V.V.

R 502 R 602 R 502 V.V. R 602 V.V.













YOU REQUIRE A VEG'PREP ONLY,
SEE PAGE 64
YOU REQUIRE A CUTTER MIXER ONLY,
SEE PAGE 65

SELECTION GUIDE PER PRODUCTS FAMILY

16-03-2009















How many covers do you serve per day?

20 60







Yes







What output do you require (Operating time kg/h)? Processing time (kg/h)

| up to 40 | up to 40 | up to 250 | up to 300 | up to 700 | up to 900 |
|-----------|-----------|-----------|--------------|--------------|---------------|
| up to 120 | up to 180 | up to 300 | up to 420 | up to 900 | up to 1800 |



Do you require dicing or French fries? **>>>>>**


| | | | | 1 |
|----|------|-----|-----|---|
| No | No | Yes | Yes | |
| | ret. | | 20 | |





Do you require Brunoise or waffles? **********







CL 25



CL 30



CL 50 Ultra


















SELECTION GUIDE PER PRODUCTS FAMILY 16-03-2009



65



SELECTION GUIDE PER PRODUCTS FAMILY

16-03-2009

















CALCULATE THE TOTAL WEIGHT OF PUREED PREPARATIONS PER MEAL

| Starter or | n weight | Number of b | lended meals | | |
|------------|----------|-------------|--------------|-----|--------|
| dessert | gr X | | Meal | = K | gr |
| Example : | 80 ar X | 1 | 10 Meals | = | 800 gr |

| Po | ortion weight | | Number of blended meals | |
|---------|---------------|---|-------------------------|----------|
| Main | | | | |
| course | gr | X | gr = | gr |
| Example | 300 gr | X | 10 Meals = | 3 000 gr |




YOU NEED A BLIXER!















| 0.2 gr | 0.3 gr |
|--------|--------|
| to | to |
| 1.5 kg | 2 kg |
| | |

0.4 gr to 2.5 kg

0.4 gr to 3.5 kg

0.5 gr to 4.5 kg



Do you have a 3-phase power supply? **>>>>>**

| No |
|----|
| No |





No

No

Yes

No

Yes

No





















Blixer Blixer 2 3

Blixer

Blixer 4-3000

Blixer 4 V.V.

Blixer Blixer 5 Plus 5 V.V.

Blixer 6

Blixer 6 V.V.

For your showrooms and stores

robot @ coupe'

Robot-Coupe range poster

Printed on both sides Delivered with suspension cord Ref.: 430 354

Mini MP Display

New presentation Ref.: 407 881



Plastic whisk support

Ref.: 430 439 Box of 10





robot @ coupe

PLV CL50

Ref.: 430 416



R301 Display

Ref.: 430 393







R 301 discs display

Ref.: 450 367



CL 50 discs display

Ref.: 450 366



Power Mixers Display

Ref.: 407 435




Ref.: 407 818



New tool at your disposal

Disc selection guide



First side

At your service:

CD-ROM



CD ROM n° 84 - For Architects and consultants - For Distributors




CD ROM N°118 SAV


Website www.robot-coupe.com

To access to the after sales service on the web, ask now your access code and password to our sales department.


Recipe books



Ref.: 430 415



Ref.: 430 354



Ref.: 430 183

GENERAL CONDITIONS OF SALE

PREAMBLE

Robot-Coupe designs and manufactures top-of-the-range food processors for commer-cial use, which are distributed both in France and abroad, under conditions which reflect its industrial know-how and the image of its products as high-quality appliances desi-

gned in the heart of Burgundy.

Distributing Robot-Coupe products involves providing users with advice, services and warranties consistent with Robot-Coupe's brand image and the high standard of its pro-

This is why, in order to market Robot-Coupe products appropriately, distributors must meet a whole series of qualitative criteria, centred around their ability to inform users about the characteristics of Robot-Coupe products, to promote these products effectively, to deliver, install and bring into service any products that are sold, and to provide war ranty and after-sales services.

GENERAL POINTS

Article 1:

The general conditions of sale set out in this document apply to all Robot-Coupe custo-

In accordance with article L441-6 of the French Code of Commercial Law, the general conditions of sale shall constitute the legal basis of negotiations, unless provided otherwise in writing and with Robot-Coupe's consent. They shall prevail over all general or specific conditions of purchase. They cannot be departed from without a specific agreespecific conditions of purchase. They cannot be departed from without a specific agreement signed by Robot-Coupe.

Any order placed with Robot-Coupe entails ipso jure the purchaser's acceptance of Robot-Coupe's general conditions of sale.

Any order placed in bad faith or of an abnormal nature shall be refused by Robot-Coupe's general conditions of sale.

Coupe

RATES AND PRICE REDUCTIONS

Article 2:

The prices charged by Robot-Coupe are set out in a basic price list drawn up each year Appliances are invoiced on the basis of the prices in effect on the date of despatch.

DELIVERY PERIODS

Article 3:

Delivery periods are given as a guide when the order is taken.

Failure to respect the delivery period shall not entitle the customer to any compensation, penalty or damages. It shall not justify the customer's refusal of a delivery.

Article 4:
Should despatch be postponed at the distributor's request and with Robot-Coupe's consent, the cost of storing and handling the merchandise may be claimed from the purchaser. These arrangements do not alter the obligation to pay for the merchandise.

SHIPMENT - DELIVERY

Whatever the merchandise's destination, its mode of shipment and the method of payment for the cost of shipment (carriage free/forward), shipment and all related operations shall be at the risk of the customer, who must inspect the despatched goods upon delivery

CLAIMS - RETURNS

Article 6:

It is up to the customer to inspect the merchandise with respect to quantities and references, and to check whether it matches the invoice description. In order to be valid, any claim must be submitted within eight days of receipt of the merchandise.

If a product which fails to match the invoice description is brought to Robot-Coupe's attention in accordance with the conditions set out above, it shall be replaced or repaired, but shall not give rise to the payment of damages on whatever grounds.

No merchandise can be returned without Robot-Coupe's prior permission. Any merchandise that is returned must be in good condition and must never have been used. It must clearly bear the name of the sender.

PAYMENTS

Article 9:

All invoices for an amount below €153 before tax shall be paid cash and all invoices for an amount equal to or above €153 before tax shall be paid within 30 days of the date of

Should an invoice. Should an invoice be paid within 20 days, the purchaser may apply a discount to his/her payment equivalent to the legal rate. In which case only VAT corresponding to the price that is actually paid can be deducted.

In accordance with article L 441-6 of the French Code of Commercial Law, failure to pay on the day following the date of payment shown on the invoice shall result in the invoicing of interest on the late payment at the annual rate of 12%.

Furthermore, unless an extension of the deadline has been requested in time and granted

Purthermore, Unless an extension of the accounter has been respondent mineral and granular by Robot-Coupe, late payment shall result in:

in the immediate payability of all sums due, whatever their intended mode of payment.

the payability as damages and as a penalty (within the meaning assigned by article 1229 of the French Civil Code) of compensation equal to 15% of the sums due, in addition to any legal interest and legal costs.

Lastly, if the purchaser has shirked one of his or her obligations on the occasion of previous orders (e.g. late payment), Robot-Coupe reserves the right to cease deliveries to said purchaser, either temporarily or definitively.

WARRANTY

Article 10:

Merchandise supplied by ROBOT-COUPE has a one-year warranty covering the parts against any operating defects arising from manufacturing defects or defects in the material. This warranty can only be brought into play by the purchaser if the products have been stored, used and maintained in compliance with the instructions for use published

by Robot-Coupe. In particular, this warranty does not cover (non-exhaustive list):

- inadequate supervision or aftercare, or unsuitable storage
 the product's normal wear and tear.
- alterations to the product which are not in accordance with Robot-Coupe's instructions.
- use that is improper or does not correspond to the purpose of the product.
 an event of force majeure or any other event beyond the seller's control.
- any other cause which does not arise from an action by Robot-Coupe

In any event, the warranty is strictly limited to the replacement of the faulty parts by Robot-Coupe, to the exclusion of any other form of compensation on whatever grounds The repair, alteration or replacement of parts or products during the period covered by the warranty shall not have the effect of extending said warranty.

Article 11: As the retailer is contractually bound to the end customer, the former shall be the primary point of contact should a claim be submitted against the manufacturer's warranty

The services relating to the implementation of the warranty (administrative and logistic management) are related to and inseparable from the sales contract entered into by the retailer and the end customer.

The sale price invoiced to the end customer comprises not only the price of the finished products being sold but also the retailer's consideration for managing the warranty cove-

ring these products.

As such, Robot-Coupe shall not bear any of the direct or indirect expenses incurred by the retailers in administering the manufacturer's warranty.

RESERVATION OF TITLE

Article 12:

ROBOT-COUPE reserves title to merchandise sold until the latter's prices have been paid in full, both interest and principal. Should the purchaser fail to pay the price on the due date, Robot-Coupe shall be entitled to recover the products, the sale shall be cancelled de jure if Robot-Coupe so wishes and the latter shall keep any downpayments that have already been made in return for the use the purchaser has made of the products. Should the parties disagree as to the conditions under which the merchandise is to be re-

turned, said return of goods shall be obtained by summary order injunction delivered by the presiding judge of Créteil Commercial Court to which the parties expressly assign

Transfer of risk:

Robot-Coupe shall reserve title to the merchandise until the latter's prices have been paid in full, but the purchaser shall become responsible for it as soon at it has been materially handed over to the latter, the transfer of possession entailing the transfer of risk. As a consequence, the purchaser agrees to take out an insurance policy covering the loss, theft or destruction of the relevant merchandise.

As Robot-Coupe shall reserve title to the merchandise until its price has been paid in full, the purchaser is expressly forbidden to use it for the purposes of resale.

However, Robot-Coupe, as a tolerance and a business expedient, authorizes the purcha-

ser to resell the merchandise, providing that the purchaser settles all outstanding sums immediately upon resale, the corresponding sums being hypothecated here and now for the benefit of Robot-Coupe in accordance with article 2071 of the French Civil Code, the purchaser becoming merely the trustee of the price.

Shipment or warehousing:

Should the purchaser be required to transfer the products to a carrier or an agent, the latter shall date and sign a document mentioning the references and quantities of the merchandise of which he or she is taking possession and add in his or her own handwriting the words "I confirm that when the merchandise was handed over to me I read the clause stipulating that Robot-Coupe reserves title to this merchandise".

Seizure or requisition:

Until such time as the price is paid in full, the customer shall be obliged to inform Robot-Coupe, within twenty-four hours, of the seizure, requisition or confiscation of the mer-chandise for the benefit of a third party and to take all steps to ensure that Robot-Coupe's title is recognized and respected in the event of action by creditors.

Receivership or liquidation:

In the event of receivership or the liquidation of the purchaser's property, and in accordance with the provisions of article L 621-115 of the French Code of Commercial Law, Robot-Coupe shall be permitted to claim this merchandise within three months following the publication of the court order setting the procedure in motion.

USE OF THE ROBOT-COUPE TRADEMARK AND OTHER INTELLECTUAL PROPERTY

Article 13:

Apart from the sales contract, the retailer is forbidden to use the Robot-Coupe trademark and more generally any elements which might carry Robot-Coupe's intellectual property rights (photos of the products or advertising images, texts of recipe books and other texts, etc.) without Robot-Coupe's prior written permission.

In particular, any advertisement using the Robot-Coupe trademark either as the main subject or as an accessory shall be brought to Robot-Coupe's attention and shall be subject to the latter's prior written permission.

WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE)

WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE)
Article 14:
Insofar as the equipment being sold is electrical or electronic equipment as defined by decree no. 2005-829 of 20 July 2005, transposing the European directive 2002-96-CE of 27 January 2003, it is hereby agreed that the purchaser in possession of this equipment shall, unless it is expressly agreed otherwise, organize and pay for the disposal of the waste equipment, under the conditions set out in sections 21 and 22 of the aforementated Jevine 1.

In the event of an inspection, the manufacturer can ask the purchaser to supply docu-ments proving that the latter has fulfilled all the obligations relating to the equipment

which was transferred to him or her under the sales contract.

Should the purchaser fail to supply these documents, the purchaser shall be assumed to be responsible for failing to fulfil his or her obligations, in respect of which the manufacturer reserves the right to claim damages.

CLAIMS

Article 15

From the date on which these general conditions take effect, no claim concerning a price advantage or a service shall be allowed if it is submitted more than twelve months after the start of the debt.

FORCE MAJEURE

Article 10:
The advent of a force majeure shall have the effect of suspending the fulfilment of these contractual obligations.

A case of force majeure is any event beyond Robot-Coupe's control and which prevents it from operating properly during the manufacture or dispatch of the merchandise.

Cases of force majeure include floods, fires, total or partial strikes hindering the normal operation of Robot-Coupe or one of its suppliers, subcontractors or carriers, as well as an interruption of transport or the supply of power, raw materials or spare parts.

Article 17:

Robot-Coupe reserves the right to make any alteration to the products described in its catalogues and other advertising media.

DISPUTES

Article 18:

All sales entered into by Robot-Coupe are governed by French law.

All disputes relating to sales by Robot-Coupe and the application or interpretation of these general conditions of sale shall be heard exclusively by Créteil Commercial Court.

robot @ coupe®

The specialist in food preparation equipment



MADE IN FRANCE BY ROBOT-COUPE s.n.c.

Head Office, French, Export and Marketing Department: Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26

48, rue des Vignerons - 94305 Vincennes Cedex - France http://www.robot-coupe.com - email : international@robot-coupe.com Ref.: 450 360 - 02/2009 - Catalogue Export